

**Flexible in flow, strength in service**

**KANOTH**  
GENERAL TRADING L.L.C



## **ABOUT US**


Dedicated to facilitating the flow, we operate with innovation and a customer-centric approach, consistently seeking solutions to enhance our customers' productivity and profitability. Our commitment extends to safeguarding customers from operational disruptions and unscheduled downtime. KANOTH specializes in hydraulic equipment, building materials, and trading, serving the UAE and GCC. We provide an expansive and innovative service portfolio alongside a diverse product range, accessible through our branches. As a prominent partner and solution provider to OEMs globally, we deliver customized solutions with robust local support, addressing the unique demands of our clientele.

## **OUR VISION**


Striving to be the customers' ultimate choice, we aim for excellence in quality and the timely completion of value-added projects across diverse industries, including construction, oilfield, marine and electromechanical sectors. Dedicated to delivering the highest level of service and superior craftsmanship, our vision extends beyond specific niches. We aspire to become a versatile partner, meeting the unique needs of our clients, consistently upholding the standards of quality and efficiency that define our commitment.

# OUR PRODUCTS

## HYDRAULIC HOSES



**SAE 100 R1AT/ DIN-EN 853 1SN**  
FOR LOW-MEDIUM PRESSURE HYDRAULIC SYSTEMS IN INDUSTRY AND AGRICULTURE (35 to 250 BAR)



**SAE 100 R2AT/ DIN-EN 853 2SN**  
FOR MEDIUM-HIGH PRESSURE HYDRAULIC SYSTEMS IN INDUSTRY AND AGRICULTURE (50 to 415 BAR)



**SAE 100 R9R/ DIN-EN 856 4SP**  
FOR HYDRAULIC SYSTEMS WITH PEAK PRESSURES AND ARDOUS OPERATING CONDITIONS (280 to 450 BAR)



**DIN-EN 856 4SH**  
FOR HYDRAULIC SYSTEMS WITH HIGH PEAK PRESSURES AND ARDOUS OPERATING CONDITIONS (250 to 420 BAR)



**SAE 100 R13/ DIN-EN 856 R13**  
FOR HYDRAULIC SYSTEMS WITH PEAK PRESSURES AND ARDOUS OPERATING CONDITIONS (280 to 450 BAR)



**SAE 100 R6/ EN 854 R6**  
FOR HYDRAULIC CONTROL LINES, DISCHARGE UNDER LOW PRESSURE OF HYDRAULIC FLUIDS, FUEL OIL, GREASE, AIR AND WATER (20 to 34 BAR)

## THERMOPLASTIC HOSES



**SAE 100 R7 SINGLE**  
TEXTILE BRAIDED MEDIUM-HIGH PRESSURE HOSE FOR AIR, WATER MINERAL AND/OR SYNTHETIC OILS DISCHARGE (75 to 227 BAR)



**SAE 100 R7 TWIN**  
TEXTILE BRAIDED MEDIUM-HIGH PRESSURE HOSE FOR AIR, WATER, MINERAL AND/OR SYNTHETIC OILS DISCHARGE (75 to 227 BAR)



**SAE 100 R8 SINGLE**  
TEXTILE (ARAMIDIC) BRAIDED VERY HIGH PRESSURE HOSE FOR AIR, WATER MINERAL AND/OR SYNTHETIC OILS DISCHARGE (140 to 362 BAR)



**SAE 100 R8 TWIN**  
TEXTILE (ARAMIDIC) BRAIDED VERY HIGH PRESSURE HOSE FOR AIR, WATER MINERAL AND/OR SYNTHETIC OILS DISCHARGE (140 to 362 BAR)



**TP 1 SINGLE**  
STEEL REINFORCED VERY HIGH PRESSURE HOSE FOR HYDRAULIC SYSTEMS USED IN VARIOUS INDUSTRIES AND AGRICULTURE (100 to 325 BAR)



**TP 1 TWIN**  
STEEL REINFORCED VERY HIGH PRESSURE HOSE FOR HYDRAULIC SYSTEMS USED IN VARIOUS INDUSTRIES AND AGRICULTURE (100 to 325 BAR)



**SAE J517 100 R5**  
FOR LOW-MEDIUM PRESSURE HYDRAULIC SYSTEMS IN INDUSTRY AND AGRICULTURE (14 to 210 BAR)



**SAE 100 R14**  
FOR MEDIUM PRESSURE HYDRAULIC SYSTEMS IN AUTOMOTIVE AEROSPACE, INDUSTRY AND AGRICULTURE (50 to 230 BAR)

## INDUSTRIAL RUBBER HOSE – AIR HOSE 20 & 40 BAR



**AIR HOSE 20 BAR SMOOTH COVER**  
MEDIUM DUTY SERVICE HOSE FOR AIR AND PNEUMATIC TOOLS



**AIR HOSE 20 BAR**  
MANDREL BUILT MEDIUM DUTY SERVICE HOSE FOR AIR AND PNEUMATIC TOOLS



**AIR HOSE 40 BAR**  
MANDREL BUILT HEAVY DUTY SERVICE HOSE FOR AIR IN MINES AND QUARRIES

## INDUSTRIAL RUBBER HOSE – WATER SUCTION & DELIVERY 10 & 20 BAR



**WATER SUCTION & DELIVERY HOSE 10 BAR**  
MANDREL BUILT WATER SUCTION & DISCHARGE HOSE IN INDUSTRIAL AND CONSTRUCTION SERVICES



**WATER SUCTION & DELIVERY HOSE 20 BAR**  
MANDREL BUILT WATER SUCTION & DISCHARGE HOSE IN INDUSTRIAL AND CONSTRUCTION SERVICES



**WATER DELIVERY HOSE 10 BAR**  
MANDREL BUILT WATER DELIVERY HOSE IN INDUSTRIAL AND CONSTRUCTION SERVICES WITH MEDIUM PRESSURE REQUIREMENT

## INDUSTRIAL RUBBER HOSE – OIL SUCTION & DELIVERY 10 & 20 BAR



**OIL SUCTION & DELIVERY HOSE 10 BAR**  
FOR SUCTION & DISCHARGE OF PETROLIUM PRODUCTS WITH AROMATIC CONTENT UPTO 50%



**OIL SUCTION & DELIVERY HOSE 20 BAR**  
FOR SUCTION & DISCHARGE OF PETROLIUM PRODUCTS WITH AROMATIC CONTENT UPTO 50%



**OIL DELIVERY HOSE 10 BAR**  
FOR DISCHARGE OF PETROLIUM PRODUCTS WITH AROMATIC CONTENT UPTO 50%

## INDUSTRIAL RUBBER HOSE – LPG & FUEL HOSES



**LPG HOSE**  
FOR CONVEYING LPG AND NATURAL GAS



**WELDING HOSE (OXYGEN OR ACETYLENE) – SINGLE**  
HIGH TENSILE SYNTHETIC TEXTILE BRAIDED SYNTHETIC RUBBER HOSE FOR INDUSTRIAL WELDING WITH OXYGEN OR ACETYLENE – WP 20 BAR



**WELDING HOSE (OXYGEN AND ACETYLENE) – TWIN**  
HIGH TENSILE SYNTHETIC TEXTILE BRAIDED SYNTHETIC RUBBER HOSE FOR INDUSTRIAL WELDING WITH OXYGEN AND ACETYLENE – WP 20 BAR



**TEXTILE REINFORCED FUEL / OIL HOSE**  
FOR DELIVERY OF FUEL IN INTERNAL COMBUSTION ENGINES, FOR LUBRICATING AND GREASE SERVICES



**COTTON COVER BRAIDED FUEL/ OIL HOSE**  
FOR DELIVERY OF OIL, FUEL OIL AND GASOLINE ETC



**GI COVER BRAIDED FUEL/ OIL HOSE**  
FOR DELIVERY OF TRANSMISSION OIL, FUEL OIL AND GASOLINE ETC

## INDUSTRIAL RUBBER HOSE – MATERIAL HANDLING



**SANDBLAST HOSE – WP 12 BAR**  
 ABRASION RESISTANT, ANTISTATIC NATURAL RUBBER HOSE FOR CLEANING AND BLASTING METAL, STONE AND CONCRETE SURFACES



**CEMENT DISCHARGE HOSE – WP 20 BAR**  
 ABRASION RESISTANT, ANTISTATIC NATURAL RUBBER HOSE FOR DISCHARGE OF DRY BULK MATERIALS, SAND, GRAVEL AND DRY CEMENT ETC



**CONCRETE PUMP HOSE – WP 100 BAR**  
 SMOOTH ANTISTATIC ABRASION RESISTANT HOSE FOR CONVEYING HIGHLY ABRASIVE MATERIALS SUCH AS COCRETE, CEMENT AND PLASTER



**BULK MATERIAL SUCTION & DELIVERY HOSE – WP 10 BAR**  
 ABRASION RESISTANT ANTISTATIC NATURAL RUBBER HOSE FOR SUCTION & DISCHARGE OF DRY BULK MATERIALS, SAND, GRAVEL AND DRY CEMENT ETC



**MATERIAL SUCTION & DELIVERY HOSE – WP 10 BAR**  
 HIGH ABRASION RESISTANT (70MM3 DIN 53516) ANTISTATIC NATURAL RUBBER HOSE FOR SUCTION & DISCHARGE OF BARITE, BENTONITE AND OTHER ABRASIVE MATERIALS

## INDUSTRIAL RUBBER HOSE – STEAM & EXHAUST



**RADIATOR HOSE – WP 4 BAR**  
 HEAT AND ANTI-FREEZE LIQUID RESISTANT EPDM RUBBER HOSE FOR CONVEYING HOT WATER IN COOLING SYSTEMS, AUTOMOTIVE AND STATIONARY ENGINES



**STEAM HOSE – WP 17 BAR, 2000 C**  
 STEEL WIRE REINFORCED SATURATED STEAM EPDM RUBBER HOSE FOR SERVICES IN CHEMICAL PLANTS, STEEL MILLS, REFINERIES, SHIPYARDS AND ALL INDUSTRIES



**MARINE EXHAUST HOSE**  
 RUBBER MARINE EXHAUST HOSE WITH LLOYD'S REGISTER TYPE APPROVAL SAE J2006 R2 CERTIFIED FOR CONVEYING EXHAUST GAS

## INDUSTRIAL RUBBER HOSE – CHEMICAL 10 & 16 BAR



**ACID-SOLVENT, CHEMICAL SUCTION & DELIVERY HOSE – XLPE**  
 FOR SUCTION AND DISCHARGE OF WIDE RANGE CHEMICALS, PETROLEUM PRODUCTS, OILS, HIGH AROMATIC SOLVENTS, ALCOHOL ETC – WP 10 BAR



**CHEMICAL SUCTION & DELIVERY HOSE – EPDM**  
 FOR SUCTION AND DISCHARGE OF WIDE RANGE CHEMICALS, SEA & INDUSTRIAL WATER – WP 10 BAR



**ACID-SOLVENT, CHEMICAL SUCTION & DELIVERY HOSE – UHMW-PE**  
 TRANSLUCENT, FOOD GRADE UHMW-PE HOSE FOR SUCTION AND DISCHARGE OF ALL CORROSIVE CHEMICALS, ESPECIALLY HIGH AROMATIC SOLVENTS – WP 16 BAR

## PVC HOSE



**PVC STEEL SPIRAL NON TOXIC HOSE**  
 STRONG VERY FLEXIBLE AND SMOOTH NON-TOXIC PLASTICIZED PVC GI SPIRAL WIRE HOSE FOR SUCTION AND DELIVERY WATER, MINERAL WATER, FRUIT JUICES AND LIQUIDS – WP 6 TO 21 BAR



**PVC TEXTILE BRAIDED NON TOXIC HOSE**  
 HIGH TENSILE SYNTHETIC TEXTILE NON-TOXIC HOSE FOR CONVEYING LIQUIDS, AIR, POWDERD FOODS, SALTS AND LIGHT CHEMICALS – WP 6 TO 25 BAR



**PVC GARDEN HOSE**  
 PVC COMPOUND SYNTHETIC TEXTILE REINFORCED HOSE FOR GARDENING AND GENERAL WATER DISCHARGE SERVICES – WP 3 TO 6 BAR

## FERRULES



NO SKIVE R1T/1SN



NO SKIVE R2T/2SN



SKIVE R2A SHORT  
FERRULE



NO SKIVE R7/R8

## HYDRAULIC HOSE FITTINGS



BSP FEMALE 90°



BSP FEMALE STRAIGHT



BSP FEMALE 45°



FLANGE 3K-6K-9K



JIC -ST- 45° - 90°  
MALE



ORFS -ST- 45° - 90°  
MALE



NPT MALE



METRIC FEMALE  
ST- 45° - 90°

## HYDRAULIC HOSE ADAPTERS



## PNEUMATIC ACCESSORIES



AIR GUN



GREASE PUMP



SPRAY GUN



CLEANING GUN



OIL PUMPS



GREASE GUN PISTOL



PRESSURE GAUGE



COILED AIR  
HOSE

## AIR COMPRESSORS



### DESCRIPTION

- 50LTR-JUMBO-C9-1PH 2HP-9CFM-255L/M
- 100LTR-JUMBO-C9-1PH 2HP-9CFM-255L/M
- 150LTR-JUMBO-C9-1PH 2HP-9CFM-255L/M
- 200LTR-JUMBO-C16N-1PH-3HP
- 270LTR-JUMBO-C16N-1PH-3HP
- 270LTR-JUMBO-C40N-1PH-4HP
- 500LTR-JUMBO-C50N-3PH-5.5HP(SINGLE)
- 500LTR-JUMBO-C55N-3PH-7.5HP(SINGLE)
- 500LTR-BOEING-C50N-5.5+5.5HP(DOUBLE)
- 500LTR-BOEING-C55N-7.5+7.5HP(DOUBLE)
- 900LTR-BOEING-C60N-10+10HP(DOUBLE)

## AIR COMPRESSOR PUMB/MOTOR



### DESCRIPTION

- 2 HP
- 3 HP
- 4 HP (WITH ELBOW)
- 4 HP (WITH AFTER COOLER)
- 5.5 HP
- 7.5 HP
- 10 HP



### DESCRIPTION

- 2HP-230V 50HZ - 1PH
- 3HP-230V 50HZ-1PH
- 3HP-230/400V 50HZ-3PH
- 4HP-230/400V 50HZ-3PH
- 5.5HP-230/400V 50HZ-3PH
- 7.5HP-230/400V 50HZ-3PH
- 10HP-230/400V 50HZ-3PH
- 2HP 230V 50HZ-1PH-(1400)
- 3HP-230V 50HZ-1PH - (1400)

## AIR COMPRESSOR ACESSORIES



PRODUCT	DESCRIPTION	STANDARD/ THREAD TYPE	SIZE RANGE	MATERIAL/ GRADE/FINISH
	Hex Nut	Din 934 Metric Coarse Thread UNC, UNF	M3 - M60 1/4" - 2"	Black 8.8, GI, HDG, BRASS SS 316, SS 304 A2-70/80, SS A4-70/80
	Heavy Hex Nut 2H	ASTM A194 ASTM A563, 2HB7 UNC, UNF Metric Coarse Thread	M12 - M48 3/8" - 2"	Black 8.8, HDG
	Nylone Lock Nut	DIN 985 Metric Coarse Thread UNC, UNF	M4 - M42	GI, SS 304, 316 A2 - 70/80, A4-70/80
	Dome Nut	DIN 1587 Metric Coarse Thread	M4 - M24	GI, SS 304, 316 A2 - 70/80, A4-70/80
	Thin Nut	DIN 439 Metric coarse thread	M6 - M24	SS304, 316, SS316 L A2-70/80, A4 - 70/80
	Hex Coupling Nut	Threaded Rod Connection Nut Metric Coarse Thread	M6 - M24	GI, HDG SS 304, 316 A2 70/80 A4 - 70/80
	Wing Nut	DIN 315 Metric coarse thread	M6 - M24	GI, SS 304, 316
	Spring Nut	Channel Nut with Long Spring	M6 - M12	GI, HDG, SS 304, 316
	Cage nut	Zinc Electroplate Spring Steel Cage Nut	M6 - M12	GI, SS 304, 316
	Square nut	Zinc-Plated Steel Square Nuts	M6 - M12	GI, SS 304, 316
	Hex Slotted Nut	Zinc-Plated Steel slotted nut	M6 - M36	GI, SS 304, 316
	Hex Flange nut	Zinc-Plated Steel	M6 - M16	GI, SS 304, 316
	Blind Rivet Nut	Zinc-Plated Steel	M6 - M10	GI, SS 304, 316



PRODUCT	DESCRIPTION	STANDARD/ THREAD TYPE	SIZE RANGE	MATERIAL/ GRADE/FINISH
	Flat Washer	DIN 125A	M3 - M64	MS, GI, HDG, SS 304, SS316 Brass
	Spring Lock Washer	DIN 127B	- M4 - M42	MS, GI, HDG SS 304, SS316 Brass
	Body Washer	DIN 9021	-M3-M24	GI SS 304, SS316 Brass coated
	Grip washer	DIN 965	-M6-M24	GI, SS 304, SS 316 Brass coated
	Taper washer	DIN 6917	-	GI, SS 304, SS 316 Brass coated
	Scrated lock washer (internal/external)	DIN 6798	M3-M30	GI, Steel, Stainless Steel
	Square washer Taper washer	DIN 6918	M12-M36	GI
	U bolt/ J bolt	DIN 3570	M6-M24	GI, Stainless Steel
	Lifting eye bolt and nut	DIN 580	M6-M42	GI, Stainless Steel 304, 316
	Dowel pin	DIN 7997	3.2mm, 4.0mm, 4.8mm 6.0mm & 6.4mm	Black steel
	Blind and pop rivet	DIN 7997	3.2mm, 4.0mm, 4.8mm 6.0mm & 6.4mm	GI, Aluminium, Steel, Stainless Steel
	Cable tray	Slotted channels		GI, Stainless steel
	Large Flange Rivets	DIN 7997	3.2mm, 4.0mm, 4.8mm 6.0mm & 6.4mm	GI, Aluminium, Steel, Stainless Steel

PRODUCT	DESCRIPTION	STANDARD/ THREAD TYPE	SIZE RANGE	MATERIAL/ GRADE/FINISH
	Full Threaded Hexagon Bolt	DIN 933, ISO 4017 Metric coarse Thread	M4 - M48	Black, HDG, GI 8.8, 10.9, 12.9 SS 304, SS 316, SS 316 L A2-70/80, A4 70/80
	Full Threaded Hexagon Bolt	ASME B 18.2.1 UNC, UNF	3/16" - 1-1/8"	Black, HDG, GI 8.8, 10.9, 12.9 SS 304, SS 316, GI, CS, A2/70/80, A4-70/80
	Half Threaded Hexagon Bolt	DIN 931, ISO 4014 Metric Coarse Thread	M6 - M48	Black, HDG, GI SS 304, SS 316, SS 316 L A2 -70/80, A4 -70/80
	Structural Bolt	ASTM A 325 Metric Coarse Thread	M6 - M48	ASTM A325 Black, HDG
	A193 Hexagon bolt	As per DIN 933 Metric Coarse Thread	M6 - M48	ASTM A193 Grade B7, Black, HDG
	Hexagon Head Socket Screw	DIN 912 Metric Coarse Thread	M3 - M36	SS 304, SS 316, CS, SS316 L A2 70/80 A4 - 70/80 Grade 12.9
	Hexagon Socket Countersunk Screw (CSK bolt).	DIN 7991 Metric Coarse Thread	M4 - M24	SS 304, SS316, CS, SS316 L A2 - 70/80, A-70/80 Grade 12.9
	Carriage bolt	DIN 603 Metric coarse thread	M6 - M20	SS 304, SS 316, GI, SS 316 L A2-70/80, A4 - 70/80 Galvanised
	Threaded Road	DIN 975/DIN 976 BS 3692/BS 4190 ASTM A 193 ASTM A 320 UNC, UNF, Metric coarse thread	M4 - M 60 1/4" - 2"	Black 8.8, GI, HDG, B7 SS 304, SS 316
	Stud Bolt with hexagon nut	DIN 976 BS 3692 / BS 4190 ASTM A 193 ASTM A320 UNC, UNC Metric coarse thread	M 4 - M 60 1/4" - 2"	Black 8.8, GI, HDG, B7, SS
	Double Ended Engineer Stud	DIN 938, DIN 939, DIN 940 UNC, UNF Metric coarse thread	M6 - M 60 1/4" - 2"	Black, GI, HDG

## SELF DRILLING SCREW

### METAL

- Hex Washer Head (HWH)



- Hex Washer Flange (HWF)



### STAINLESS

- Hex Washer Head (HWH)



- Truss Phillips Head



- Pan Phillips Head



## SELF TAPPING SCREW

- Hex Washer Head (HWH)



- Truss Head Phillips



- Pan Head



- Flat Head



- Combo Recess



- Steel Flanges



# HOOK & LIFTING ACCESSORIES

CLEVIS GRAB HOOK



CLEVIS GRAB HOOK (GALVANIZED)



CLEVIS SLIP HOOK



EYE HOIST HOOK



SWIVEL HOOK



EYE SELF LOCKING HOOK



LATCH KIT FOR SHOOKS



CONNECTING LINK



CHAIN SHORTENER



BARREL HOOK



MASTER LINK



WELDLESS ROUND RING



LOAD BINDER RATCHET TYPE



LOAD BINDER LEVER TYPE



ROLLER SHACKLE



RAPID MACHINE



RATCHET TIE DOWN



CHAIN MS GRADE 80(MTRS)



CHAIN MEDIUM LINK (4 x 12 KG BAG)



WIRE ROPE



# RIGGING HARDWARES

WIRE ROPE CLIP  
(GALVANIZED)



WIRE ROPE CLIP  
'A' TYPE



WIRE ROPE CLIP  
DROP FORGED



TURN BUCKLE  
(H/E, H/H, E/E)



DEE SHACKLE



DEE SHACKLE  
LARGE



BOW SHACKLE



EYE NUT



LONG SHANK EYE  
BOLT (DYNAMO)



GRUB SCREW



EYE BOLT



EYE NUT



THIMBLE



THIMBLE HEAVY  
DUTY



R PIN SINGLE |  
DOUBLE



LINCH PIN YWZ



ALUMINIUM  
SLEEVES



STEEL BLACK  
STANDARD SLEEVE



SWAGE BUTTON  
ROUND



SPLIT PIN



# RIGGING HARDWARE

SNAP HOOK



SNAP HOOK W/  
SCREW



SNAP HOOK  
(ALUMINIUM)



SWIVEL SNAP HOOK  
NICKEL PLATED



QUICK LINK



MISSING LINK



REPAIR LINK



CLEVIS TWIN LINK



SWIVEL REGULAR



SWIVEL CHAIN



JAW END SWIVEL



S HOOK



ROUND RING



SINGLE SNATCH  
BLOCK



DOUBLE SNATCH  
BLOCK



SINGLE PULLEY  
RIGID GREEN



SINGLE PULLEY  
RIGID



DOUBLE PULLEY  
RIGID



SINGLE PULLEY  
SWIVEL



DOUBLEPULLEY  
SWIVEL



# RIGGING HARDWARE (STAINLESS STEEL)

DEE SHACKLE(304 & 316)



BOW SHACKLE



DEE SHACKLE 'C' TYPE



WIRE ROPE CLIP(304 & 316)



TURNBUCKLE H/E



THIMBLE



SNAP HOOK



QUICK LINK



SWIVEL REGULAR



EYE SCREW (304 & 316)



THIMBLE HEAVY DUTY



ROLLER SHACKLE



SWIVEL SNAP SHACKLE



ROUND RING



TURNBUCKLE H/H



# HAND TOOLS

Wide range of quality Tools from quality brands like CLARKE, AMPRO , Stanley, SPERO, etc.

HAND SAW



ADJUSTABLE WRENCH



ALLEN KEY SET



CUTTER



HAMMER



HAND TOOLS



COMBINATION SPANNERS



CUSHION GRIP SCREWDRIVER SETS



HAMMER RING SPANNER SET



MEASURING TAPE



PIPE WRENCH



PIPING TOOLS



PLIERS



PUNCH



TOOLS DRAWER



RIDGID TOOLS



RIVTER GUN



SCRAPER



Spirit Level (Impact Torpedo Level)



SPIRIT LEVEL





# PERSONAL PROTECTIVE EQUIPMENT

**COVERALL**  
(100% cotton,65/35 poly cotton)



**SAFETY HELMETS**



**SAFETY SHOES**



**HAND GLOVES  
LATEX COATED**



**EAR PLUG  
(With & Without Cord)**



**DUST MASKS  
(Filter,Ordinary & Paper Type)**



**SAFETY GOOGLES**



**WELDER GLOVES**



**LEATHER GLOVES**



**DOTTED  
HAND GLOVES**



**SAFETY VEST**



**FULL BODY  
HARNESS**



**FIRST AID KIT**



**CHAIN MS GRADE  
80(MTRS)**



**GUM BOOTS  
RIGGER SHOES**



# INDUSTRIAL / LARGE BORE FITTINGS



HAMMER UNIONS



MILLER AND BAUER COUPLINGS



NIPPLES & FERRULES



QUICK COUPLINGS



BALL VALVES



CHECK VALVES



STORZ COUPLING



CAMLOCK COUPLING



WHIP CHECK SAFETY CABLE



HOSE MENDERS & KING NIPPLES



GASKETS AND O RINGS



LAYFLAT HOSE

**KANOTH**  
GENERAL TRADING L.L.C

Shop M12, First Floor, Al salam Shopping Centre,  
Naif, Deira, **Dubai, United Arab Emirates**

☎ +971 52132 0664

✉ Sales@kanothgt.com | Info@kanothgt.com



+971 4 570 3130



www.kanothgt.com